

Hammam cabin construction kit to be tiled 150×90 with steam generator





Reference: KCH_01_PREMIUM EAN13: -

Hammam cabin construction kit to be tiled 150 x 90 with steam generator

Panels can be rail mounted or glued directly to existing walls.

Please note: this is not a pre-assembled cabin. The elements supplied make it possible to create a cabin of approximately L $150 \times W$ 90 cm. Height between 200 and 240 cm (you can cut the panels to adjust the height).

Assembly principle:

- 1 Prepare the existing rail and/or wall structure
- 2 Preparation of the screed with evacuation and installation of the tray
- 3 Installation of XPS panels (screwed on rails / glued on walls) Walls + sloping roof
- 4 Installation of the bench and the niche
- 5 Installation of the door
- 6 Coat the panels and tile
- 7 Installation of accessories (Lighting, steam outlet nozzle, temperature probe)



* The rails (panel and door fixings) are not supplied. Excluding tiling, excluding installation

Kit contents:

- 1 x Desineo 4KW Hammam Steam Generator for Professional or Home Use Automatic Drain
- 1 x Kit of 2 Spotlights 68mm Ø RGB Ip68 Waterproof Recessed + Button, Spotlight Control System And Transformer
- 22 x Building Panel 1250 x 600 x 30mm Extruded Rigid XPS Ready To Tile Valstorm
- 1 x Hammam Bench 90 X 40 X 50cm Ready To Tile In XPS
- 1 x Niche In XPS Ready To Tile 600 X 300 X 90 Mm Premium For Hammam Bathroom
- 1 x Door For Hammam Transparent or Bronze 80 X 190 Cm
- 1 x Shower Tray 150x90x3 Cm Linear Flow Ready To Tile With Siphon + Stainless Steel Grid
- 1 x SIKATOP 121 SURFACAGE Waterproofing Mortar 10Kg Kit
- 1 x Stainless Steel Fixing Washers (X50) For Ready To Tile Panels
- 1 x 10cm Width Fiberglass Rebar Tape (45 Meter Length) For XPS Panel Junctions
- $1\ x$ Connection kit for steam generator silicone hose. Length to be defined according to the location of the generator

